

FIG. 1A

### TRANSACTION

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length	Length Decimal
TRANSACTION CD	10	z	VARCHAR2	7	
NAME TX	20	z	VARCHAR2	40	
DESCR TX	30	×	VARCHAR2	2000	

FIG. 1B

TRANSACTION\_DTL

Attribute Name	Sed.	opt.	Seq. Opt. Format	Length	Length Decimal
TRANSACTION DIL ID	10	z	VARCHAR2	7	
TRANSACTION CD FK	20	z	VARCHAR2	7	
TRANSACTION DIL ID RFK	30	z	VARCHAR2	7	
DATE TX	40	Z	DATE	·	

FIG. 1C

Transaction

Transaction CD	Nаme ТX	Descr TX
Buy Prod	Buy product transaction	This transaction relates to a customer buying a product.
Sell Prod	Sell product transaction	This transaction to a vendor selling a product.

FIG. 1D

Transaction\_Detail

Transaction Dtl ID	Transaction CD FK	Date DT
1	Buy Prod	11/01/1999
2	Buy Prod	11/05/1999
<u>۳</u>	Sell Prod	11/01/1999

FIG. 1E

- 104


Data Model

Database

Fig. 2

- 106

User Input



Proprietary & Confidential

07/24/01 12:00 PM

>

Proprietary & Confidential

07/24/01 12:00 PM

# 

TOOL

Attribute Name	Sed.	opt.	Seq. Opt. Format	Length	Length Decimal
TOOL CD	. 10	z	VARCHAR2	200	
NAME_TX	20	×	VARCHAR2	40	
DESCR TX	30	⊁	VARCHAR2	2000	

FIG. 4A

DEF\_OBJECT

Attribute Name	Seq.	opt.	Seq. Opt. Format	Length	Length Decimal
DEF OBJECT ID	10	z	NUMBER	10	
NAME TX	20	X	20 Y VARCHAR2	40	
DESCR TX	30	¥	VARCHAR2	2000	

FIG. 4B

SYSTM

Attribute Name	Sed.	g.	Format	Length I	Decimal
SYSTM ID	10	z	NUMBER	10	
NAME TX	20	×	VARCHAR2		
PASSWORD NR	30	×	NUMBER		
SCHEMA CD	40	×	40 Y VARCHAR2	200	
VERSN NR	50	×	NUMBER		
DESCR_TX	09	¥	VARCHAR2	2000	

FIG. 4C

VALID\_TOOL

Attribute Name	Sed.	opt.	Seq. Opt. Format	Length	Length Decimal
CREAT BY	10	X	VARCHAR2	200	
CREAT_DT	20	X	DATE	•	

FIG. 4D

Proprietary & Confidential

07/24/01 12:00 PM

# COURTE'S CORTECT

OBJ

Attribute Name	Seq.	opt.	Seq. Opt. Format	Length	Length Decimal
OBJ ID	10	z	NUMBER	10	
NAME TX	20	×	VARCHAR2	40	
DESCE TX	30	⊁	VARCHAR2	2000	

FIG. 4E

ABSTR\_OBJ

Attribute Name	Sed.	opt.	Seq. Opt. Format	Length	Length Decimal
ABSTR OBJ ID	10	z	NUMBER	10	
NAME TX =	20 Y	×	VARCHAR2	40	
DESCR TX	30	¥	VARCHAR2	2000	

FIG. 4F

LANG

Attribute Name	Sed.	gr G	Seq. Opt. Format	Length	Length Decimal
LANG CD	10	z	VARCHAR2	200	
NAME_TX	20	⊁	Y VARCHAR2	40	
DESCR TX	30	Y	VARCHAR2	2000	

FIG. 4G

LABEL\_SET

Attribute Name	Seq.	opt.	Seq. Opt. Format	Length	Length Decimal
LABEL SET CD	10	z	VARCHAR2	200	
NAME TX	20	×	Y VARCHAR2	40	
DESCE TX	30	≻	VARCHAR2	2000	

FIG. 4H

## DOONGIET.COLLOL

#### DOMAIN

Attribute Name	Sed.	opt.	Format	Length	Decimal
DOMAIN CD	10	z	VARCHAR2	200	
NAME TX	20	X	VARCHAR2	40	
DEFLT TX	30	¥	VARCHAR2	200	
DEFLT NR	40	×	NUMBER	10	
DEFLT DT	20	×	DATE		
DATA TYPE CD	9	×	VARCHAR2	200	
LNGTH NR	70	×	NUMBER	10	
MAX NE	80	⊁	NUMBER	10	
MIN NR	90	×	NUMBER	10	
PRCSN NR	100	×	NUMBER	10	
VALID_RULE TX	110	¥	VARCHAR2	2000	
DESCR_TX _	120	¥	VARCHAR2	2000	
Z DOMĀIN CD	130	Y	VARCHAR2	200	

#### FIG. 4I

### DEF\_OBJ\_ATTR

Attribute Name	Seq.	gt.	Seq. Opt. Format	Length	Length Decimal
DEF OBJ ATTR ID	10	z	NUMBER	10	
ABST OBJ IDF YN	20	¥	VARCHAR2	П	
NAME_TX	30	X	VARCHAR2	40	
DESCR TX	40	X	VARCHAR2	2000	

#### FIG. 4J

### OBJ\_VALUE

Attribute Name	Sed.	opt.	Seq. Opt. Format	Length Decimal	Decimal
OBJ VALUE ID	10	z	NUMBER	10	
VALUE NR	20	Y	20 Y NUMBER	10	
VALUE_TX	30	¥	VARCHAR2	2000	

#### FIG. 4K




Figure 5A + K




Figure 5B + C + F + N




Figure 5D

(ii) file Edi Bas	nd Query Oca	Write	Heb	
Val p	LX角 <sup>。</sup>	F.(1)	·Re is	A La
System	Tak		Larguage	] u
System				
System id		lane		
Objects				
Top Level Ob	eci			
200			7	DELETE
-	Name		Lavel	

Figure 5E




Figure 5G + L




Figure 5H




Figure 5I

otom Tools	Languages		ien Dan .anguage	eque to be the	efried Objects	Bartim Aray.	il Label	Sets	, to a real real real real real real real re	CO TO CHARGE LAND	1)	1	
ystem Nam	ا	Version No.	Code I_US English · U.S.	Namo			de	Name	Long- uage	System		-	
Wagness are a rest of the second	in the street parties.			the start sawar	one reputable stress	3) [E		5.6.0 man				27	
bel Sets				1 1 1 1 1 1	Piace			a tanu a		一		ā "	
			Description		dence Ac	4		- e()			=	1 345	
		<b> </b> -						Communication				h E a	
									il Sec	<b>\</b>		3.5	
			iiiiiiiiii	- 100		1115	94 57		4 14				
					ة كلت				Di Di		29.5		
tem Help Text			:		_	TIF	3	-	2 ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (		1 1		
				•				- 4234	460				
быстранический постанический постанический постанический постанический постанический постанический постаническ Постанический постанический постанический постанический постанический постанический постанический постанически	enelugamentare enema.	manana manan	diamento branchina de la constanta de la const	innponnon	- Company of the Comp		mion o	anne se de la com-	ب اج				-
cruity Roles	1.	ď.						10					
Role Active						- 7							
	1					pro-		i 2 ii	2.0		4.60		
	- 1 N			44.			13		<b>1</b> 4		. 4	0.00	Lillie.
<del>l de rectrationen author</del>	<u>, l</u>				No.							Towards .	
					<b>.</b>	7. 3	35						
respirate and to busine Principals		TOTAL POLICE AND ADDRESS.	samiajini urandisari	Cotorina and	mmunicipativities	hen and repea	ene green little	samue i misure			or on unath to a	ed).	
												-	

Figure 5J




FIGURE 6: Function Maintenance screen

TOOL

TOOL CD	NAME TX	DESCR TX
Forms	Oracle Forms	Oracle Developers' screen application product.
Reports	Oracle Reports	Oracle Developers' report application product
SQL Server	Microsoft SQL Server	Microsoft database developers Database Management System
		product

FIG. 7A

DEF\_OBJ

T T T T T T T T T T T T T T T T T T T	NAME TX	DEF OR.T IN REK	TOOT OF THE	DESCR TX
DEF OBO ID	VI TENON	מיני מיני מיני מיני מיני מיני מיני מיני	2001	
354	Form		Forms	An Oracle Developer Form's form.
355	Block	354	Forms	An Oracle Developer Form's block.
356	Window	354	Forms	An Oracle Developer Form's window.
357	Canvas	356	Forms	An Oracle Developer Form's canvas.
358	Tab Page	357	Forms	An Oracle Developer Form's tab page.
359	Visual Attribute	354	Forms	An Oracle Developer Form's visual attribute.
360	Text Item	355	Forms	An Oracle Developer Form's text item.
361	Display Item	355	Forms	An Oracle Developer Form's display item.
362	Checkbox	355	Forms	An Oracle Developer Form's checkbox.
363	Button	355	Forms	An Oracle Developer Form's button.
377	Radio Group	355	Forms	An Oracle Developer Form's radio group.

FIG. 7B

SYSTM

system.					
This is the marketing information	1.2		Litn35	Marketing IS	3
system for ABC Corporation.					
This is the entire information	2.1		Wat99	ABC Corp.	2
This is the payroll system.	3.0		Amnbc1	Payroll System	-
DESCR TX	VERSN NR	SCHEMA CD	PASSWORD NR	NAME TX	SYSTM ID

FIG. 7C

VALID TOOL

SYSTM ID FK	TOOL CD FK	CREAT BY	CREAT DT
	Forms	John Smith	January 29, 2000
2	Forms	Tom Jones	June 14, 2000
2	Reports	Tom Jones	June 14, 2000

FIG. 7D

# DOGELET DELLOI

۲		
ρ	Ċ	
r	۰	

OBJ_ID	NAME_TX	OBJ_ID_ RFK	DEF_OBJ ID_FK	SYSTM_ ID_FK	DESCR_TX ·
3519	V_Gen_Party_COB_Info_Role_Tran.Activ	3515	362	2	A checkbox named V Gen Party COB Info Role Tran.Activ YN
3520	Source	3373	355	2	A block named Source
3521	W Source	3373	356	2	
3522	C Source	3521	357	2	A canvas named C Source
3523	Source.Party Role ID	3520	360	2	A text item named Source. Party Role ID
3524	Source.Cntxt TX	3520	360	2	text item named
3525	Source.Z Party CD	3520	360	2	text item named Source.Z Part
3526	Source.Z Rel CD	3520	360	2	A text item named Source. Z Rel CD
3527	Source.Name TX	3520	360	2	text item named So
3528	Source.RG Source	3520	377	2	radio group named Source
3529	Source. Push Button439	3520	363	2	button
3530	Party Drill Down	3373	355	2	A block named Party Drill Down
3531	Gr Drill Down	3373	355	2	A block named Gr Drill Down
3532	COB Reprt	3373	355	2	A block named COB_Reprt
3533	GR Filter	3373	355	2	A block named GR Filter
3534	V Geogr Reg	3373	355	2	A block named V Geogr Reg
3535	C Geogr Reg Filter	3389	357	2	
3518	V_Gen_Party_COB_Info_Role_Tran.Lang_Name	3515	360	2	text item named
	ТХ				Gen Party COB Into Role Tran. Lang
3506	V Gen Party COB Info Role	3373	355	2	- 1
3507	STab2	3404	358	2	A tab page named STab2
3508	V_Gen_Party_COB_Info_Role.Gen_Party_COB_ Info ID	3506	360	2	A text item named V Gen Party COB Info Role.Gen Party COB Info ID
3509	V Gen Party COB Info Role. Var Name TX	3506	360	2	text item nam
					Gen Party
3510	V_Gen_Party_COB_Info_Role.Stord_Value	3506	360	7	A text item named V Gen Party COB Info Role.Stord Value
3511	V_Gen_Party_COB_Info_Role.Lang_Name_TX	3506	360	2	A text item named V Gen Party COB Info Role.Lang Name TX
3512	V_Gen_Party_COB_Info_Role.Activ_YN	3506	362	2	kbox named
2513	77 727 140 5[50 527 GOD 1127 CD	3506	263	,	button named
3513	V_Gen_rarty_COD_tillo_role:ru_bally_cu	0000	200		
3514	V Gen Party COB Info Role.Pb Value	3506	363	2	led V Gen
3515	V Gen Party COB Info Role Tran	3373	322	2	A block named V Gen Party COB Info Role Tran
3516	V Gen_Party_COB_Info_Role_Tran.Gen_PartyCOB_Info_ID	3515	360	8	A text item named V_Gen_Party_COB_Info_Role_Tran.Gen_Party_COB_Info_ID
3517	V_Gen_Party_COB_Info_Role_Tran.Stord_Value	3515	360	2	A text item named V Gen Party COB Info Role Tran.Stord Value

V
2
12:00 PM
0
Ŏ
₹.
$\sim$
_
≺
4
07/24/01
``
~
0
_

Inc.
cian,
) Dai

3505	V_Gen_Party_COB_Info_Trans.Activ_YN	3501	362	2	A checkbox named V Gen Party COB Info Trans.Activ YN
3494	V_Gen_Party_COB_Info_Party.Var_Name_TX	3491	360	2	A text item named V Gen Party COB Info Party.Var Name TX
3495	V_Gen_Party_COB_Info_Party.Stord_Value	3491	360	2	A text item named V Gen Party COB Info Party.Stord Value
3496	V_Gen_Party_COB_Info_Party.Lang_Name_TX	3491	360	2	A text item named V Gen Party COB Info Party. Lang Name TX
3497	V_Gen_Party_COB_Info_Party.Activ_YN	3491	362	2	kbox named Party COB Info
3498	V_Gen_Party_COB_Info_Party.Pb_Lang_CD	3491	363	2	A button named V Gen Party COB Info Party.Pb Lang CD
3499	V_Gen_Party_COB_Info_Party.Pb_Value	3491	363	2	con named Party COB Info Party.Pb
3500	V_Gen_Party_COB_Info_Party.Pb_Z_Party_COB_NFO_CD	3491	363	2	A button named V Gen Party COB Info Party.Pb Z Party COB NFO CD
3501	Gen Party	3373	355	2	d V Gen Party COB
3502	COB_Info_	3501	360	2	A text item named V Gen Party COB Info ID
3503	V_Gen_Party_COB_Info_Trans.Stord_Value	3501	360	2	A text item named V Gen Party COB Info Trans.Stord Value
3504	V_Gen_Party_COB_Info_Trans.Lang_Name_TX	3501	360	2	A text item named V Gen Party COB Info Trans.Lang Name TX
3493	V Gen_Party_COB_Info_Party.Gen_Party_COB_Info_ID	3491	360	2	A text item named  V Gen Party COB Info Party.Gen Party COB Info ID
3573	V Funct. Descr TX	3563	360	2	A text item named V Funct. Descr TX
3574	Block Title	3557	359	2	visual attribute named Block Ti
3575		3563	363	2	button named V Funct
3576	Funct Dtl	3557	355	2 0	block named V Funct Dtl
3577	V Funct Dtl.Name TX	3576	360	7 0	A text item named V Funct Dtl.Name IX A text item named V Funct Dtl DSP Domain CD
3579	Funct Dtl.Order NR	3576	360	2 2	text item named V Funct Dtl.order NR
3580	V Funct Dtl.Regd YN	3576	362	2	checkbox named V
3581	V Funct Dtl.May Rpeat YN	3576	362	2	checkbox named V Funct Dtl.May Rpe
3582	Funct Dtl.Descr TX	3576	360	2	text item named V Funct Dtl.Descr TX
3583	V Funct Dtl. Funct Dtl ID	3576	360	2	text item named V Funct Dtl.
3572	V Funct Activ YN	3563	362	2	checkbox named V Funct Acti
3554	Plan Table.ID	3539	360	2	text item named Plan Table.ID
3555	Table	3539	360	2	text item named Plan Table.
3556	Plan Table.Position	3539	360	2	text item n
3557	Function	1	354	2	named F
3558	Stuff	3557	355	2	block named S
3559	W Main	3557	356	2	window named W
3560	C Main	3559	357	2	named C Main
3561	Data Current	3557	359	2	A visual attribute named Data Current

12:00 PM	
07/24/01	

	•
٠,	i
•	
	•
•	
-	ē
.,	
Ç	,
7	
-	

:	T	3557	355	2	blook named W
3563 V	runct	- //			- 1
บี	Custom	3557	359	2	A visual attribute named Custom
3565 Da	Data Blue	3557	359	2	A visual attribute named Data_Blue
3566 V	V Funct.Funct ID	3563	9	2	V Funct. Func
3567 Da	Data Enter	3557	359	2	visual attribute named Data E
3568 V	V Funct.Name TX	3563	360	2	named V Funct.Name TX
3569 V	Funct.DSP Z Funct CD	3563	360	2	Funct.DSP
3570 V	Funct. DSP Domain CD	3563	360	2	A text item named V Funct.DSP Domain CD
3571 Da	Data Display	3557	359	2	A visual attribute named Data_Display
3553 Pl	Plan Table.Search Columns	3539	360	2	ch Columns
3537 V	V Geogr Reg. DSP Z Geogr Reg CD	3534	360	2	A text item named V Geogr Reg.DSP Z Geogr Reg CD
3538 Te	ď		354	2	A form named Test Help
	Plan Table	3538	355	2	A block named Plan Table
	Windowl	3538	356	2	A window named Window1
3541 Ca	Canvas2	3540	357	2	A canvas named Canvas2
	Plan Table.Statement ID	3539	360	2	Table
	Plan Table.Timestamp	3539	360	2	text item named
3544 Pl	Plan Table.Remarks	3539	360	2	A text item named Plan Table.Remarks
3545 Pl	Plan Table.Operation	3539	360	2	A text item named Plan Table.Operation
3546 Pl	Plan Table.Options	3539	360	2	text item named Plan
	Plan Table.Object Node	3539	360	2	A text item named Plan Table.Object Node
3548 Pl	Plan Table.Object Owner	3539	360	2	text item named
	Plan Table.Object Name	3539	360	2	ı
3550 P1	Plan Table.Object Instance	3539	360	2	text item named Plan Table.Object
3551 P1	Plan Table.Object Type	3539	360	2	text item named Plan
3552 P1	Plan Table.Optimizer	3539	360	2	긔
3536 V	V Geogr Reg.Activ YN	53	362	2	checkbox named V Geogr Re
3480 V	Party Role Child	3373	355	2	A block named V Party Role Child
3481 V	Party_Role_Child.Party_Role_ID	3480	360	2	A text item named V Party Role ID
Г	V Party Role Child.DSP Z Rel CD	3480	360	2	A text item named V Party Role Child. DSP Z Rel (
3483 V_	V_Party_Role_Child.DSP_Z_Party_CD	3480	360	8	A text item named  V Party Role Child.DSP Z Party CD
3484 V	Party Role Child. DSP Party ID	3480	360	2	text item named V Party Role Child.
3485 V	Party Role Child.Start DT	3480	360	2	A text item named V Party Role Child.Start DT
3486 V	Party Role Child.End DT	3480	360	2	A text item named V Party Role Child. End DT
3487 V	Role	3480	362	2	A checkbox named V Party Role Child. Activ YN
3488 V	Party Role Child. Pb Z Rel CD	3480	363	2	A button named V Party Role Child. Pb Z Rel CD
3489 V	Party Role Child. Pb 2 Party CD	3480	363	2	button named V Party Role Child.Pb
3490 V	Party Role Child.Pb Party ID	3480	363	2	button named V Party Role Child.F
3491 V	Gen Party COB Info Party	3373	355	2	block named V G
3492 Ta	Tab3	3396	358	2	tab page named Tab3
3479 V	V Party Role Parent.Pb Z Party CD	3469	363	2	med V Party Role Par
3465 V	V Party. Activ YN	3461	362	2	checkbox named
	Party. Activ YN	3461	362	2	

3466	V Party.End DT	3461	360	2	A text item named V Party. End DT
3467	V Party. Persn YN	3461	362	2	check
3468	V Party.Order NR	3461	360	2	A text item named V Party.Order NR
3469	V Party Role Parent	3373	355	2	A block named V Party Role Parent
3470	Tab2	3336	358	2	A tab page named Tab2
3471	V_Party_Role_Parent.Party_Role_ID	3469	360	2	A text item named V Party Role Parent.Party Role ID
3472	V_Party_Role_Parent.DSP_Party_Role_ID_RF	3469	360	2	
3473	V_Party_Role_Parent.DSP_Z_Party_CD	3469	360	2	tem named Role Parent.DSP
3474	V_Party_Role_Parent.DSP_Z_Rel_CD	3469	360	2	text item named Partv Role Parent. DSP 2
3475	V Party Role Parent. Activ YN	3469	362	2	checkbox named V Party Role
3476	Party Role Parent. Start	3469	360	2	V Party Role
3477	V Party Role Parent. End DT	3469	360	2	A text item named V Party Role Parent. End DT
3478	V Party Role Parent. Pb Cntxt TX	3469	363	2	button named V Par
3464	V Party.Start DT	3461	360	2	text item named V Party.Start
3448	Locator.Start From DT	3433	360	2	text item named Locator.Start Fro
3449	Locator.Start To DT	3433	360	2	text item named Locator.Star
3450	Locator.End From DT	3433	360	2	text item named Locator. End
3451		3433	360	2	item named Locator. End To DT
3452		3433	360	2	text item named Locator. Dsp Geogr
3453	Z Var CD	3433	360	2	text item named Locator. Dsp Z Var
3454	Locator. Pb Z Doc Var CD	3433	363	2	button named Locator. Pb Z Doc
3455	Locator.RAG Persn Org	3433	377	2	radio group named Locator.RAG Persn C
3456	Locator.RAG.Aspect TX	3433	377	2	radio group named Locator.
3457	Locator.Pb Z Party CD	3433	363	2	button named Locator. Pb Z Part
458	Locator. Pb Cntxt TX	3433	363	2	button named Locator. Pb Cntxt
3459	Locator.Pb z Rel CD	3433	363	2	button named Locator. Pb z Rel CD
3460	Locator. Pb Geogr Reg ID	3433	363	2	ır Reg
3447	Locator. DSP 2 Rel CD	3433	360	2	text i
3461	V Party	3373	355	2	block named V Party
3462	V Party.Party ID	3461	360	2	text item named V Party. Party
3463	V Party.Name TX	3461	360	2	A text item named V Party.Name TX
3431	Party Filter Result.Name TX	3429	360	2	A text item named Party Filter Result.Name TX
3432	Party Filter Result. Activ YN	3429	362	2	A checkbox named Party Filter Result. Activ YN
3433	)r	3373	355	2	A block named Locator
3434	Locator.Party ID	3433	360	2	text it
3435	Start End NR	3395	357	2	canvas named Start End NR
3436	Locator.From NR	3433	360	2	text item named Locator
3437	Start End DT	3395	357	2	canvas named Start End DT
3438	Locator.From DT	3433	360	2	text item named
3439	Locator. To NR	3433	360	2	item named Locator. To
3440	Locator.To DT	3433	360	2	A text item named Locator.To DT

•	•
ċ	٠ì
•	4
_	_
-	_
٠.	
$\overline{}$	٦
-	•
_	`
₹	۰
	٠.
_	N
5	٠,
_	۰.
5	
٠.	
$\overline{}$	-
-	_
_	_
_	
	_
•	

3441	Tocator DSP Party Role ID RFK	3433	360	1 2	A text item named Locator DSP Party Role ID RFK
3430	Party Filter Result, Party ID	3429	360	2	text item named Party Filter Result. Party
3442		3433	360	2	text item named Locator. DSP Z Party C
3443	5	3433	360	2	A text item named Locator. Var Val TX
3444	Locator. DSP Party ID	3433	360	2	A text item named Locator. DSP Party ID
3445	Locator. FED Tax ID	3433	360	2	A text item named Locator.FED Tax ID
3446	Locator.Legcy NR	3433	360	2	A text item named Locator.Legcy NR
3414	Party Role. Party Role ID	3413	360	2	A text item named Party Role.Party Role ID
3415	Party Role.Cntxt TX	3413	360	2	A text item named Party Role.Cntxt TX
3416	Party Role. DSP 2 Rel CD	3413	360	2	text item named Party
3417	Party Role. DSP Z Party CD	.3413	360	2	A text item named Party Role. DSP Z Party CD
3418		3413	360	2	A text item named Party Role. DSP Party ID
3419	PR_Locator	3373	355	2	A block named PR Locator
3420	Data Enter	3373	359	2	A visual attribute named Data Enter
3421	PR Locator.Name	3419	360	2	A text item named PR Locator.Name
3422	PR Locator.Party Role ID	3419	360	2	A text item named PR Locator.Party Role ID
3423	PR Locator. DSP 2 Party CD	3419	360	2	A text item named PR Locator.DSP Z Party CD
3424	Party Filter	3373	355	2	A block named Party Filter
3425	C Party Filter	3384	357	2	canvas named C Party Filter
3426	Party Filter.Party ID	3424	360	2	A text item named Party Filter. Party ID
3413	Party Role	3373	355	2	A block named Party Role
3427	Party Filter.DSP Party ID	3424	360	2	A text item named Party Filter. DSP Party ID
3428	Party Filter.DSP Z Party CD	3424	360	2	A text item named Party Filter.DSP Z Party CD
3429	Party Filter Result	3373	355	2	named Party F
3394	Stuff.Pb Start Over	3374	363	2	button named
3395	W Main	3373	356	2	window named W
3396	C Tab	3395	357	2	canvas named C
3397	Tab4	3396	358	2	A tab page named Tab4
3398	Stuff.Party Cntxt	3374	360	2	A text item named Stuff.Party Cntxt
3399	Stuff.Pb Party Cntxt	3374	363	2	A button named Stuff.Pb Party Cntxt
3400	Tab1	3396	358	2	tab page named Tabl
3401	Data Display	3373	359	2	visual attribut
3402	Stuff.Incld Inactiv	3374	362	2	A checkbox named Stuff.Incld Inactiv
3403	Stuff.Result	3374	362	2	A checkbox named Stuff.Result
3404	C Subtab	3395	357	2	A canvas named C Subtab
3405	STab1	3404	358	2	A tab page named STabl
3406	Stuff.Subtab Null Item	3374	360	2	A text item named Stuff.Subtab Null Item
3407	Stuff.Tab Null Item	3374	360	2	A text item named Stuff. Tab Null Item
3393	Stuff.Pb Gr Quit	3374	363	2	A button named Stuff.Pb Gr Quit
3408	Data Current	3373	359	2	A visual attribute named Data Current
3409	Stuff.Null Item	3374	360	2	A text item named Stuff.Null Item
3410	C Main	3395	357	2	canvas named C Main
3411	Data Blue	3373	359	2	A visual attribute named Data Blue
3412	Stuff.Headr TX	3374	361	2	A display item named Stuff. Headr TX
3374	Stuff	3373	355	2	

# TOLLEO, LOLLEGE

W Pick       3373       356       2         C Pick       3375       357       2         Custom       3373       359       2         Block Title       3374       363       2         Stuff.Pb Back       3374       363       2         C Tb Pick       3374       363       2         Stuff.Pb Pr Pick       3374       363       2         W Party Filter       3374       363       2         C Tb Party Filter       3374       363       2         Stuff.Pb Party Filter       3374       363       2         Stuff.Pb Party Pick       3374       363       2         Stuff.Pb Party Pick       3374       363       2         W Geogr Reg Filter       3374       363       2         C TB Geogr Reg       51ter       3374       363       2         Stuff.Pb Gr Pick       3374       363       2         Stuff.Pb Gr Pick       3374       363       2         Stuff.Pb Gr Filter       3374       363       2         Stuff.Pb Gr Filter       3374       363       2	3373	Party 111		354	2	A form named Party 111
C Pick         3375         357         2           Custom         3373         359         2           Block Title         3374         363         2           Stuff.Pb Back         3374         363         2           C Tb Pick         3374         363         2           Stuff.Pb Pr Filter         3374         363         2           Stuff.Pb Pr Pick         3374         363         2           W Party Filter         3374         363         2           Stuff.Pb Party Filter         3374         363         2           Stuff.Pb Party Pick         3374         363         2           W Geogr Reg Filter         3374         363         2           C TB Geogr Reg         3374         363         2           Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3375	W Pick	3373	356	2	A window named W Pick
Custom       3373       359       2         Block Title       3374       363       2         Stuff.Pb Back       3374       363       2         C Tb Pick       3374       363       2         Stuff.Pb Pr Filter       3374       363       2         Stuff.Pb Pr Pick       3374       363       2         W Party Filter       3374       363       2         Stuff.Pb Party Filter       3374       363       2         Stuff.Pb Party Pick       3374       363       2         Stuff.Pb Party Pick       3374       363       2         W Geogr Reg Filter       3374       363       2         C TB Geogr Reg       3374       363       2         Stuff.Pb Gr Pick       3374       363       2         Stuff.Pb Gr Filter       3374       363       2         Stuff.Pb Gr Filter       3374       363       2	3376	C Pick	3375	357	2	A canvas named C Pick
Block Title       3373       359       2         Stuff.Pb Back       3374       363       2         C Tb Pick       3374       363       2         Stuff.Pb Pr Filter       3374       363       2         Stuff.Pb Pr Pick       3373       356       2         W Party Filter       3374       363       2         C Tb Party Filter       3374       363       2         Stuff.Pb Party Pick       3374       363       2         Stuff.Pb Party Pick       3374       363       2         W Geogr Reg Filter       3374       363       2         C TB Geogr Reg       357       2         Stuff.Pb Gr Pick       3374       363       2         Stuff.Pb Gr Pick       3374       363       2         Stuff.Pb Gr Filter       3374       363       2	3377	Custom	3373	359	2	A visual attribute named Custom
Stuff.Pb Back       3374       363       2         C Tb Pick       3375       357       2         Stuff.Pb Pr Filter       3374       363       2         Stuff.Pb Pr Pick       3374       363       2         W Party Filter       3373       356       2         C Tb Party Filter       3374       363       2         Stuff.Pb Party Pick       3374       363       2         Stuff.Pb Party Pick       3374       363       2         W Geogr Reg Filter       3373       356       2         W Geogr Reg Filter       3373       356       2         C TB Geogr Reg       357       2         Stuff.Pb Gr Pick       3374       363       2         Stuff.Pb Gr Filter       3374       363       2         Stuff.Pb Gr Filter       3374       363       2	3378	Block Title	3373	359	2	A visual attribute named Block Title
C Tb Pick         3375         357         2           Stuff.Pb Pr Filter         3374         363         2           Stuff.Pb Pr Quit         3374         363         2           W Party Filter         3373         356         2           C Tb Party Filter         3374         363         2           Stuff.Pb Party Filter         3374         363         2           Stuff.Pb Party Pick         3374         363         2           W Geogr Reg Filter         3374         363         2           C TB Geogr Reg         3373         356         2           Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3379	Stuff.Pb Back	3374	363	2	A button named Stuff.Pb Back
Stuff.Pb Pr Filter         3374         363         2           Stuff.Pb Pr Quit         3374         363         2           W Party Filter         3373         356         2           C Tb Party Filter         3374         355         2           Stuff.Pb Party Filter         3374         363         2           Stuff.Pb Party Dick         3374         363         2           W Geogr Reg Filter         3374         363         2           C TB Geogr Reg         3373         356         2           Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3380	C Tb Pick	3375	357	2	A canvas named C Tb Pick
Stuff.Pb         Pr Quit         3374         363         2           Stuff.Pb         Pr Pick         3374         363         2           W Party Filter         3373         356         2           C Tb Party Filter         3374         363         2           Stuff.Pb Party Quit         3374         363         2           Stuff.Pb Party Pick         3374         363         2           W Geogr Reg Filter         3373         356         2           C TB Geogr Reg         3373         356         2           Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3381	Stuff.Pb Pr Filter	3374	363	2	A button named Stuff.Pb Pr Filter
Stuff.Pb Pr Pick       3374       363       2         W Party Filter       3373       356       2         C Tb Party Filter       3374       363       2         Stuff.Pb Party Quit       3374       363       2         Stuff.Pb Party Pick       3374       363       2         W Geogr Reg Filter       3373       356       2         C TB Geogr Reg       3374       363       2         Stuff.Pb Gr Pick       3374       363       2         Stuff.Pb Gr Filter       3374       363       2         Stuff.Pb Gr Filter       357       2	3382	Stuff.Pb Pr Quit	3374	363	2	A button named Stuff.Pb Pr Quit
W Party Filter         3373         356         2           C Tb Party Filter         3384         357         2           Stuff.Pb Party Filter         3374         363         2           Stuff.Pb Party Dick         3374         363         2           W Geogr Reg         3373         356         2           C TB Geogr Reg         3389         357         2           Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3383	Stuff.Pb Pr Pick	3374	363	2	A button named Stuff.Pb Pr Pick
C Tb Party Filter         3384         357         2           Stuff.Pb Party Filter         3374         363         2           Stuff.Pb Party Quit         3374         363         2           W Geogr Reg Filter         3373         356         2           C TB Geogr Reg         3389         357         2           Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3384	W Party Filter	3373	356	2	A window named W Party Filter
Stuff.Pb Party Filter         3374         363         2           Stuff.Pb Party Quit         3374         363         2           Stuff.Pb Party Pick         3374         363         2           W Geogr Reg Filter         3373         356         2           C TB Geogr Reg         3389         357         2           Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3385	C Tb Party Filter	3384	357	2	A canvas named C Tb Party Filter
Stuff.Pb Party Quit         3374         363         2           Stuff.Pb Party Pick         3374         363         2           W Geogr Reg Filter         3373         356         2           C TB Geogr Reg         3389         357         2           Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3386	Stuff.Pb Party Filter	3374	363	2	A button named Stuff.Pb Party Filter
Stuff.Pb Party Pick         3374         363         2           W Geogr Reg Filter         3373         356         2           C TB Geogr Reg         3389         357         2           Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3387	Stuff.Pb Party Quit	3374	363	2	A button named Stuff. Pb Party Quit
W Geogr Reg Filter         3373         356         2         A           C TB Geogr Reg         3389         357         2         A           Stuff.Pb Gr Pick         3374         363         2         A           Stuff.Pb Gr Filter         3374         363         2         A	3388	Stuff.Pb Party Pick	3374	363	2	A button named Stuff.Pb Party Pick
C TB Geogr Reg         3389         357         2           Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3389	W Geogr Reg Filter	3373	356	2	A window named W Geogr Reg Filter
Stuff.Pb Gr Pick         3374         363         2           Stuff.Pb Gr Filter         3374         363         2	3390	C TB Geogr Reg	3389	357	2	A canvas named C TB Geogr Reg
Stuff. Pb Gr Filter 3374 363 2	3391	Stuff.Pb Gr Pick	3374	363	2	A button named Stuff.Pb Gr Pick
	3392	Stuff. Pb Gr Filter	3374	363	2	A button named Stuff.Pb Gr Filter

FIG. 7E

ABSTR OBJ

ABST OBJ ID	SYSTM ID FK	DEF OBJ ID FK	NAME TX	DESCR TX
	2	354		
2	2	355		
3	2	355		

FIG. 7F

	DESCR TX			
	NAME TX	English	French	German
LANG	LANG CD	English	French	German

FIG. 7G

LABEL SET

LABEL SET CD	NAME TX	LANG CD FK	LANG CD FK SYSTM ID FK DESCR TX	DESCR TX
ABC Eng	ABC Corp English	English	1	The payroll system with English labels.
ABC Fr	ABC Corp French	French	1	The payroll system with French labels.
ABC-Grm	ABC Corp German	German	1	The payroll system with German labels.

FIG. 7H

## DOORDIEZ LOBIIOI

#### DOMAIN

DOMAIN_CD	NAME_TX	DOMAIN_CD NAME_TX DEFLT_TX DEFLT_NR DEFLT_DT	DEFLT_NR	DEFLT_DT	DATA_TYPE_CD	LNGTH_NR	MAX_NR_	MIN	PRCSN_NR	DATA_TYPE_CD LNGTH_NR MAX_NR MIN_NR PRCSN_NR VALID_RULE_TX DESCR_TX Z_DOMAIN_CD	DESCR_TX	Z_DOMAIN_ CD
	Monev	Money			Number	10			2			
						-						
2	Small				Number	9						
	_	_	_									
	Amount		_									

#### FIG. 7I

### DEF\_OBJ\_ATTR

DEF OBJ ATT	NAME	DEF_OBJ_ID	ABST_OBJ_IDF_	DOMAIN_CD_FK	DESCR_TX
RID		FK	YN		
431	Visual Attribute	357	Y	Char	Visual attribute for a canvas.
432	Label	358	Y	Char	Label for a tab page.
433	Prompt Text	360	Y	Char .	Prompt text for text item.
434	Label	362	Y	Char	Label for a checkbox.
435	Label	363	Y	Char	Label for a button.
430	Title	356	Y	Char	Title for a window.
436	Hint Text	360	Y	Char	Hint text for a text item.
437	Tooltip Text	360	Y	Char	Tooltip text for a text item.
438	Hint Text	361	Y	Char	Hint text for a display item.
439	Tooltip Text	361	Y	Char	Tooltip text for a display item.
440	Hint Text	362	Y	Char	Hint text for a checkbox.
441	Tooltip Text	362	X	Char	Tooltip text for a checkbox.
442	Hint Text	363	Y	Char	Hint text for a button.
443	Tooltip Text	363	Y	Char	Tooltip text for a button.

#### FIG. 7J

### OBJ\_VALUE

OBJ VALUE ID VALUE TX	VALUE_TX	VALUE_NR		OBJ_ID_FK	LABEL_SET_CD_FK	OBJ_ID_FK   LABEL_SET_CD_FK   DEF_OBJ_ATTR_ID_FK   ABSTR_OBJ_ID_F	ABSTR_OBJ_ID_F
 			DEF OBJ ID FK				
2284	Default		357	3376	ABC Eng	431	
2285	Back		363	3379	ABC Eng	442	
	Back		363	3379	ABC_Eng	435	
	Default		357	3380	ABC Eng	431	
2288	Filter		363	3381	ABC Eng	442	
2283	W Pick		356	3375	ABC Eng	430	
2289	Filter		363	3381	ABC Eng	443	

55.6	Onit	363	3382		442	•
2233	Ouit	363	3382	ABC Eng	443	
2292	Pick Context	363	3383		442	ŧ
2293		363	3383	ABC Eng	443	
2294	1 🗀	356	3384		430	
2296	Filter.	363	3386		442	
2297	Filter	363	3386		443	
2298	Quit	363	3387	ABC Eng	442	
2300	Pick Context	363	3388		442	
2301	Pick Context	363	3388		443	
2302		356	3389		430	
2304		363	3391	ABC Eng	442	
2305		363	3391		443	
2306	Filter	363	3392		442	
2308	Quit	363	3393		442	
2309	Quit	363	3393		443	
2311	Quit	363	3394	ABC Eng	443	
2312	Party Maintenance	356	3395		430	
2401	D	363	3513		435	
2404	Value	360	3517	ABC Eng	433	
2408	ID	360	3523		433	
2416	Window1	356	3540		430	
2417	Default	357	3541		431	
2418	Statement ID	360	3542		433	
2419	Timestamp	360	3543		433	
2420	Remarks	360	3544	ABC Eng	433	
2421	Operation	360	3545		433	
2422	Options	360	3546		433	
2423	Object Node	360	3547		433	
2424	Object Owner	360	3548	ABC Eng	433	
2425		360	3549		433	
2426		360	3550		433	
2427		360	3551		433	
2428	Optimizer	360	3552	ABC Eng	433	
2429	Search Columns	360	3553		433	
2430		360	3554	ABC Eng	433	
2431	Parent ID	360	3555	ABC Eng	433	
2432	Position	360	3556	ABC Eng	433	
2433	Function	356	3559	ABC_Eng	430	
	Maintenance		,			

		257	25.60		131	5
2434	Custom Darty Role Info	358	3507	ABC Eng	432	<b>y</b>
2011		360	3526		433	
2412	Name	360	3527	ABC Eng	433	
2413	Ouit	363	3529		435	
2414	Default	357	3535		431	
2415	Туре	360	3537	ABC Eng	433	
2295	Default	357	3385		431	
2299	Quit	363	3387		433	
2303	Default	357	3390		431	
2307	Filter	363	3392	ABC Eng	443	
2310	Start Over	363	3394		442	
2326	Туре	360	3417		433	
2330	Type	360	3423	ABC Eng	433	
2334	Role	360	3428		433	
2337	ID	360	3434		433	
2341	From	360	3438	ABC Eng	433	
2344	Context	360	3441		433	
2360	Ω	363	3459	ABC Eng	435	
2363	Name	360	3463		433	
2367	Party Role	358	3470		432	
2371	Relation	360	3474	ABC Eng	433	
2375	Ω	363	3479		435	
2389	Lang	360	3496		433	
2393	ID	360	3502	ABC Eng	433	
2410	Role	360	3525	ABC Eng	433	
2378	Type	360	3483	ABC Eng	433	
2379	Source	360	3484	ABC Eng	433	
2380	Start DT	360	3485		433	
2381	End DT	360	3486		433	
2382	Ω	363	3488	ABC_Eng	435	
2383	Ω	363	3489	ABC_Eng	435	
2384	Ω	363	3490	ABC Eng	435	
2385	Party Info	358	3492	ABC Eng	432	
2386	ID	360	3493		433	
2387	Var	360	3494	ABC Eng	433	
2388	Value	360	3495		433	
2390	Ω	363	3498		435	
2391	Ω	363	3499		435	
2392	D	363	3500	ABC Eng	435	

# D9926167 . CB11C1

433	433	433	433	433	433	435	433	433	430	431	433	433	433	433	433	433	433	433	433	433	433	433	433	435	435	435	435	433	433	433	433	433	433	433	433	433	435	
ABC Eng	ABC Eng			ABC Eng	ABC Eng	ABC Eng	ABC_Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng	ABC Eng		ABC Eng	ABC Eng								ABC Eng		
3503	3504	3508	3509	3510	3511	3514	3516	3518	3521	3522	3482	3524	3443	3444	3445	3446	3447	3448	3449	3450	3451	3452	3453	3454	3457	3458	3460	3462	3464	3466	3468	3471	3472	3473	3476	3477	3478	
360	360	360	360	360	360	363	360	360	356	357	360	360	360	360	360	360	360	360	360	360	360	360	360	363	363	363	363	360	360	360	360	360	360	360	360	360	363	
Value	Lang	ID	Var	Value	Lang	n	ID	Lang	W Source	Custom	Relation	Context	TX	Name	EIN	Legcy	Rel Type	Start From	To	End From	To	Name	Name	D	Ω	Ω	D	ID	Start DT	End DT	Ord Num		Context	Type	Start DT	End DT	Ω	
2394	2395	2397	2398	2399	2400	2402	2403	2405	2406	2407	2377	2409	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2361	2362	2364	2365	2366	2368	2369	2370	2372	2373	2374	

### 07/24/01 12:00 PM

ن
In
an,
<u>C</u> ;
Da

2436		360	3568	ABC Eng	433	
2437		360	3569	ABC Eng	433	,
2438		360	3570		433	
2439	Descr	360	3573	ABC Eng	433	
2440		363	3575	ABC Eng	435	
2441	Name	360	3577	ABC Eng	433	
2442	in	360	3578	ABC Eng	433	
2443		360	3579	ABC Eng	433	
2444		360	3582	ABC Eng	433	
2445		360	3583	ABC Eng	433	
2435		360	3566	ABC Eng	433	
2314	Child Role	358	3397		432	
2315		360	3398	ABC Eng	433	
2316	Ω	363	3399		435	
2317	or	358	3400		432	
2318	ox159	362	3402		434	
2319	Box159	362	3403		434	
2320	u	357	3404		431	
2321	1e	358	3405	ABC Eng	432	
2322	Com	357	3410	ABC Eng	431	
2323	ID	360	3414	ABC Eng	433	
2324	Context	360	3415	ABC Eng	433	
2325	ů	360	3416	ABC Eng	433	
2327		360	3418	ABC Eng	433	
2328		360	3421	ABC Eng	433	
2329		360	3422		433	
2331	fault	357	3425	ABC Eng	431	
2332		360	3426		433	
2333	ne	360	3427		433	
2335		360	3430	ABC Eng	433	
2336	Name	360	3431	ABC Eng	433	
2313	шC	357	3396	ABC Eng	431	
2338	Default	357	3435	ABC Eng	431	
2339		360	3436	ABC Eng	433	
2340		357	3437	ABC Eng	431	
2342	To	360	3439	ABC Eng	433	
2343		360	3440	ABC Eng	433	